

Is Salmon Protein the new 'Omega-3'?

Marine Ingredients Conference September 2013 Oslo



Hofseth Biocare ASA A Company built on a sustainable concept


Norway makes the finest fish fillets in the world.

•But what happens to the rest of the fish?



Converting the whole salmon into food for human consumption





Offcuts are the raw material used by HBC to produce premium biomarine ingredients for human applications

omeGo (

Omega-3 free of contaminants & containing total lipid biofactors

proGo (

Protein that is clean, concentrated & easily digestible with unique bioefficacy



Natural Calcium which is more bio-available and increases bone density

HBC's Unique Process



- Intellectual Property
 - Patented and trade secret enzymatic hydrolysis process
- Gentle
 - No cooking, boiling or crushing
 - Minimized oxidation
 - Bioactive compounds are preserved
 - Eco-friendly
- · Rapid with minimum autolytic degradation
 - From fillet to salmon products in 24 hours
- Three Pure Fraction Products
 - omeGo, proGo and calGo
 - all preserving the natural bioactive elements of fresh whole salmon













Physical Properties of proGo

- Makes a solution in water at 3% w/w
- Consistent narrow range of molecular weight distribution
- Hypoallergenic classification (MALDI-TOF analysis)
- Good blend of essential amino acids
- Low fish taste and bitterness
- Non-gelling powder for easy formulation









Health Properties of ProGo


- Fastest uptake of any protein powder tested (TIM-1 trial at Laval University) leading to improved muscle recovery
- Increased hemoglobin in anemic human subjects
- Increased energy and metabolism
- Potential gut anti-inflammatory effect





TIM-1 Result Summary

- Progo™ showed higher nitrogen absorption than whey protein isolate (+79%)
- whey protein weakly hydrolyzed (+74%)
- and whey protein extensively hydrolyzed (+20%).







Hemoglobin Human Trial

- Progo™ showed statistically significant increase in hemoglobin levels (3%) at 4g/day dose for 15 days
- New trial with 20g/day dose and 6 weeks duration planned in 4Q 2013.

CHANGES IN MEAN HEAMOGLOBIN LEVELS AFTER TREATMENT

Duration in Days	Mean Haemoglobin (gm/dl) (± SD) (N=10)
Baseline	11.32 ± 0.55
15	11.65± 0.67
30	11.58± 0.65
60	11.58 ± 0.45
Diff (Baseline- Day 15) (p value)	00.33 ± 0.51 (0.04)*
Diff (Baseline- Day 30) (p value)	00.26 ± 0.69 0.13 (NS)
Diff (Baseline- Day 60) (p value)	00.26 ± 0.51 $(0.07)^{\#}$

By Student't' Test (one tailed)

*Significant

NS= Not Significant





SPH and Anti-inflammatory effect

- Bile acids are powerful regulators of metabolism
- Other researchers (Bergen) have also shown that increased bile acid production occurs in rats fed SPH
- In senior dogs fed proGo, a decrease in plasma levels of CRP and C3 reactive proteins (anti-inflammatory) was also observed



THANK YOU

Marine Ingredients Conference September 2013 Oslo